




## List de prix ampoules led, quantité commande mini 15 pièces

Désignation	Puis.	Descriptif	Avantages produit	Prix unit. Ht
 <b>SB-BL-5W-C</b>	5W	Luminous Flux :450LM Base: E27, E14 Input Voltage: AC85-265V Dimension:100mm*Φ35mm Beam Angle: 360° Working Temperature: -20°C - +50°C Work Frequency: 50-60HZ Color Temperature: WW: 2800-3300K NW: 4500-5000K W: 6000-6500K	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	5.21
 <b>SB-BL-7W-C</b>	7W	Luminous Flux :630LM Base: E27, E14 Input Voltage: AC85-265V Dimension:110mm*Φ35mm Beam Angle: 360° Working Temperature: -20°C - +50°C Work Frequency: 50-60HZ Color Temperature: WW: 2800-3300K NW: 4500-5000K W: 6000-6500K	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	6.36
 <b>SB-BL-9W-C</b>	9W	Luminous Flux :810LM Base: E27, E14 Input Voltage: AC85-265V Dimension:120mm*Φ35mm Beam Angle: 360° Working Temperature: -20°C - +50°C Work Frequency: 50-60HZ Color Temperature: WW: 2800-3300K NW: 4500-5000K W: 6000-6500K	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	7.48
 <b>SB-BL-5W-C-2</b>	5W	Luminous Flux :475LM Base: E27, G24 2pin Input Voltage: AC85-265V Dimension:118mm*Φ48mm Beam Angle: 360° Working Temperature: -20°C - +50°C Work Frequency: 50-60HZ Color Temperature: WW: 2800-3300K NW: 4500-5000K W: 6000-6500K	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	10
 <b>SB-BL-8W-C-2</b>	8W	Luminous Flux :760LM Base: E27, G24 2pin Input Voltage: AC85-265V Dimension:132mm*Φ48mm Beam Angle: 360° Working Temperature: -20°C - +50°C Work Frequency: 50-60HZ Color Temperature: WW: 2800-3300K NW: 4500-5000K W: 6000-6500K	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	11.3

	10W	<p>Luminous Flux :950LM  Base: E27, G24 2pin  Input Voltage: AC85-265V  Dimension:158mm*Φ60mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	14.1
	15W	<p>Luminous Flux :1330LM  Base: E27, G24 2pin  Input Voltage: AC85-265V  Dimension:175mm*Φ60mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	15.5
	27W	<p>Luminous Flux :2200-2500LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:197mm*Φ93mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 5630 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	55
	36W	<p>Luminous Flux :2900-3300LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:223mm*Φ93mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 5630 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	64
	45W	<p>Luminous Flux :3600-4100LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:248mm*Φ93mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 5630 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	69
	54W	<p>Luminous Flux :4400-4900LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:276mm*Φ93mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. Super bright Epistar 5630 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	75

 <p><b>SB-BL-80W-C-4</b></p>	80W	<p>Luminous Flux :6000-6800LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:290mm*Φ120mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. 1120pcs super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	128
 <p><b>SB-BL-100W-C-4</b></p>	100W	<p>Luminous Flux :7500-8500LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:308mm*Φ120mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. 1456pcs super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	131
 <p><b>SB-BL-120W-C-4</b></p>	120W	<p>Luminous Flux :9000-10200LM  Base: E27, E40  Input Voltage: AC85-265V  Dimension:345mm*Φ120mm  Beam Angle: 360°  Working Temperature: -20°C - +50°C  Work Frequency: 50-60HZ  Color Temperature:  WW: 2800-3300K NW: 4500-5000K  W: 6000-6500K</p>	<ol style="list-style-type: none"> <li>1. High quality driver</li> <li>2. Constant-current, safe and stable</li> <li>3. High light efficiency : &gt;90 %</li> <li>4. High CRI:&gt;80Ra</li> <li>5. 1792pcs super bright Epistar 2835 LEDs</li> <li>6. Long lifespan: &gt;50,000 hours</li> <li>7. Long warranty: 3 years</li> <li>8. CE&amp;RoHS approved</li> <li>9. High light transmittance and brightness</li> <li>10. Super heat dissipation</li> </ol>	149